Gastroenterology

Contents

ON THE COVER



IBD Patients With Long-Term COVID-19 Symptoms: Persistence of SARS-CoV-2 RNA in Gut Mucosa. See article by Zollner, et al, page 495, for additional information.



COMMENTARIES

- Clinical Applications of Artificial Intelligence in Gastroenterology: Excitement and Evidence 341 A. Ahuja and H. Kefalakes
- Stopping Surveillance in Gastrointestinal Conditions: Thoughts on the Scope of the Problem 345 and Potential Solutions A. H. Calderwood and D. J. Robertson
- AGA Institute Quality Measure Development for Intragastric Balloons in the Management of 350 Obesity G. Ketwaroo, C. Newberry, V. Kushnir, S. G. Sheth, and D. A. Leiman, on behalf of the Quality Committee of the American Gastroenterological Association
- Strengths and Weaknesses of an Artificial Intelligence Polyp Detection Program as Assessed by a High-Detecting Endoscopist \bigcirc D. K. Rex, Y. Mori, P. Sharma, R. E. Lahr, K. C. Vemulapalli, and C. Hassan

DIVERSITY, EQUITY, AND INCLUSION IN GI

A TEAM Approach to Diversity, Equity, and Inclusion in Gastroenterology and Hepatology R. Williams, P. M. White, and S. Balzora, Association of Black Gastroenterologists and Hepatologists Board of Directors

MENTORING, EDUCATION, AND TRAINING CORNER

Integrating Cognitive Apprenticeship Into Gastroenterology Clinical Training K. A. Johnson-Laghi and M. C. Mattar

Related article in CGH

▲ Hot Papers From New Investigators

Publisher: Gastroenterology (ISSN 0016-5085) is published monthly (semi-monthly in April) in two indexed volumes by Elsevier Inc, 230 Park Avenue, New York, NY 10169-0901, USA. Periodicals postage paid at New York, NY and additional mailing offices. POSTMASTER: Send address changes to Elsevier, Journal Returns, 1799 Highway 50 East, Linn, MO 65051, USA. 2022 US subscription rates: individual, \$739.00; student and resident, \$282.00. Outside of the U.S. and possessions: individual, \$968.00; student and resident, \$562.00; surface delivery, no additional charge; air mail delivery, add \$78.00. Prices subject to change without notice.

	ITO		-	_
-11		ıvı	A 6	-
				_0.3

- 368 Can We Predict the Onset of Celiac Disease?

 B. Lebwohl and L. Greco

 See Meijer CR et al on page 426.
- The Influence of Place and Geography on Outcomes Across the Cancer Continuum C. C. Murphy, E. D. Paskett, and S. L. Pruitt

 See Ma C et al on page 437.
- Arid1a: A Gatekeeper in the Development of Pancreatic Cancer From a Rare Precursor Lesion M. Liu
 See Fukunaga Y et al on page 466.
- β-Catenin Is a Novel Target in YES-associated Protein-driven Cholangiocarcinoma
 A. Lozano and A. Lujambio

 See Zhang Y et al on page 481.
- 376 Rear Window—What Can the Gut Tell Us About Long-COVID?

 M. Leppkes and M. F. Neurath

 See Zollner A et al on page 495; and Miyakawa K et al on page 514.

CLINICAL CHALLENGES AND IMAGES IN GI

- 379 A Distinct and Potentially Deadly Cause of Gastric Polyposis
 J. AbiMansour, T.-T. Wu, and S. Sweetser
- **An Umbilical Mass in a Young Female** *M.-S. Warraich, S. Fidai, and S. Gandhi*

ELECTRONIC CLINICAL CHALLENGES AND IMAGES IN GI

For a full list, please see the table of contents online at www.gastrojournal.org.

PRACTICAL TEACHING CASE

A Rare Cause of Intussusception in an Adolescent Female

A. Cardullo, T. J. Laborda, and J. F. Pohl

REVIEWS IN BASIC AND CLINICAL GASTROENTEROLOGY AND HEPATOLOGY

Pancreatic Cancer: Pathogenesis, Screening, Diagnosis, and Treatment
L. D. Wood, M. I. Canto, E. M. Jaffee, and D. M. Simeone

ORIGINAL RESEARCH

Full Reports

Esophagus

Opioid Exposure Differentially Impacts Esophageal Body Contraction Over the Lower Esophageal Sphincter

D. A. Patel, J. Goss, M. Hayat, C. Tombazzi, R. D. Naik, J. C. Slaughter, M. Aslam, S. Sarker, T. Higginbotham, and M. F. Vaezi

Chronic opioid use is associated with spastic disorders of the esophageal body, but not disorders of the esophagogastric junction.

Toll-like Receptor 9 Pathway Mediates Schlafen⁺-MDSC Polarization During *Helicobacter*-induced Gastric Metaplasias

L. Ding, J. Chakrabarti, S. Sheriff, Q. Li, H. N. Thi Hong, R. A. Sontz, Z. E. Mendoza, A. Schreibeis, M. A. Helmrath, Y. Zavros, and J. L. Merchant

Some *Helicobacter pylori*—infected subjects have a genetic tendency to develop an aggressive immune response to bacterial and cellular debris that accumulates in the inflamed microenvironment, ultimately leading to pre-neoplastic sequelae.

Celiac Disease

Prediction Models for Celiac Disease Development in Children From High-Risk Families: Data From the PreventCD Cohort

C. R. Meijer, R. Auricchio, H. Putter, G. Castillejo, P. Crespo, J. Gyimesi, C. Hartman, S. Kolacek, S. Koletzko, I. Korponay-Szabo, E. M. Ojinaga, I. Polanco, C. Ribes-Koninckx, R. Shamir, H. Szajewska, R. Troncone, V. Villanacci, K. Werkstetter, and M. L. Mearin

See editorial on page 368.

Human Leukocyte Antigen—DQ2 homozygous girls have the highest risk to develop celiac disease. Personalized screening advice for celiac disease in children from high-risk families is possible using the Prediction application.

GI Cancer

437 • ©

Factors Associated With Geographic Disparities in Gastrointestinal Cancer Mortality in the United States

C. Ma, S. E. Congly, D. E. Chyou, K. Ross-Driscoll, N. Forbes, E. S. Tsang, D. A. Sussman, and D. S. Goldberg See editorial on page 369.

The highest rates of death from gastrointestinal cancers occur in rural counties and in the Southeastern United States, with differences in county-level mortality from esophagus, stomach, pancreas, and colon cancer being associated with higher rates of smoking, diabetes, and obesity.

NOTCH-YAP1/TEAD-DNMT1 Axis Drives Hepatocyte Reprogramming Into Intrahepatic Cholangiocarcinoma

S. Hu, L. Molina, J. Tao, S. Liu, M. Hassan, S. Singh, M. Poddar, A. Bell, D. Sia, M. Oertel, R. Raeman, K. Nejak-Bowen, A. Singhi, J. Luo, S. P. Monga, and S. Ko

We identify a subset of intrahepatic bile duct cancers that originate from hepatocytes instead of bile duct cells, and identify the epigenetic molecular basis of this fatal disease.

Loss of Arid1a and Pten in Pancreatic Ductal Cells Induces Intraductal Tubulopapillary Neoplasm via the YAP/TAZ Pathway

Y. Fukunaga, A. Fukuda, M. Omatsu, M. Namikawa, M. Sono, T. Masuda, O. Araki, M. Nagao, T. Yoshikawa, S. Ogawa, Y. Hiramatsu, Y. Muta, M. Tsuda, T. Maruno, Y. Nakanishi, J. Ferrer, T. Tsuruyama, T. Masui, E. Hatano, and H. Seno

See editorial on page 371.

Simultaneous loss of *Arid1a* and *Pten* in pancreatic ductal cells induces development of intraductal tubulopapillary neoplasm and pancreatic ductal adenocarcinoma through activation of the YAP/TAZ pathway in mice. Pharmacological inhibition of the YAP/TAZ pathway suppresses formation of intraductal tubulopapillary neoplasm.

481 β -Catenin Sustains and Is Required for YES-associated Protein Oncogenic Activity in Cholangiocarcinoma

Y. Zhang, H. Xu, G. Cui, B. Liang, X. Chen, S. Ko, S. Affo, X. Song, Y. Liao, J. Feng, P. Wang, H. Wang, M. Xu, J. Wang, G. M. Pes, S. Ribback, Y. Zeng, A. Singhi, R. F. Schwabe, S. P. Monga, M. Evert, L. Tang, D. F. Calvisi, and X. Chen

See editorial on page 374.

YES-associated protein drives cholangiocarcinogenesis via transcription enhanced associate domain-mediated transcriptional activation and functional crosstalk with β -Catenin. β -Catenin physically interacts with Yap in cholangiocarcinoma and is required for the oncogenic activity of YES-associated protein.

Inflammatory Bowel Disease

495 Postacute COVID-19 is Characterized by Gut Viral Antigen Persistence in Inflammatory Bowel

Diseases

A. Zollner, R. Koch, A. Jukic, A. Pfister, M. Meyer, A. Rössler, J. Kimpel, T. E. Adolph, and H. Tilg

See editorial on page 376.

Post-acute COVID-19 is a rapidly growing health-care challenge across the globe. This study identifies that postacute COVID-19 is accompanied by viral antigen persistence in the gut from patients with inflammatory bowel diseases.

RESEARCH LETTERS

507 Accurate Nonendoscopic Detection of Esophageal Squamous Cell Carcinoma Using

Methylated DNA Biomarkers

K. Ma, A. Kalra, H.-L. Tsai, S. Okello, Y. Cheng, and S. J. Meltzer, Esophageal Squamous Cell Carcinoma Consortium

- A Chromosomal Duplication Encompassing Interleukin-33 Causes a Novel Hyper IgE
 Phenotype Characterized by Eosinophilic Esophagitis and Generalized Autoimmunity

 A. K. Marwaha, R. Laxer, M. Liang, A. M. Muise, and T. Eiwegger, The Immune Dysregulation Group
- Reduced Replication Efficacy of Severe Acute Respiratory Syndrome Coronavirus 2 Omicron
 Variant in "Mini-gut" Organoids

 K. Miyakawa, M. Machida, T. Kawasaki, M. Nishi, H. Akutsu, and A. Ryo

 See editorial on page 376.
- 517 Common Genetic Variants in the Bile Acid Synthesis Enzyme CYP7A1 Are Associated With Severe Primary Bile Acid Diarrhea

 S. Balesaria, S. S. Pattni, I. M. Johnston, J. D. Nolan, R. N. Appleby, and J. R. F. Walters

AGA SECTION

Reducing the Burden of Colorectal Cancer: AGA Position StatementsD. Lieberman, U. Ladabaum, J. V. Brill, F. P. May, L. S. Kim, C. Murphy, R. Wender, and K. Teixeira

CONTINUING MEDICAL EDUCATION (CME)/MOC ACTIVITIES

- e17 CME Exam 1: A Rare Cause of Intussusception in an Adolescent Female
- e19 CME Exam 2: Opioid Exposure Differentially Impacts Esophageal Body Contraction Over the Lower Esophageal Sphincter

GASTRO DIGEST

- 527 Prolonging Survival in Advanced Esophageal Squamous Cell Carcinoma With Immune Checkpoint Inhibitors

 S. R. Markar
- **Mucus Sialylation Maintains the Peace in Intestinal Host Microbe Relations** *D. Kotlarz*

528	urther Insights Into the Impact of Bariatric Surgery on the Progression of Nonalcoholic
	atty Liver Disease
	H. Mullish

529 Splitting Hairs: Folliculin Parts the Good From the Bad in mTORC1 Control Over Lipid Metabolism

B. DeBosch

CORRESPONDENCE

530 COVID-19 Vaccination in Liver Transplant Recipients in View of Evidence-Based Policymaking

T. Tanaka and M. Vander Weg

- **Reply**B. V. John, Y. Deng, and B. Dahman
- **Early Life: An Important Window of Susceptibility for Colorectal Cancer** *C. C. Murphy and B. A. Cohn*
- **Reply**V. Gausman, P. S. Liang, and M. Du
- Optimizing Colorectal Cancer Risk Stratification in the Colorectal Cancer Screening-Eligible 45- to 49-Year-Old Population

 Y. Kamal and G. E. Idos
- **Reply**A. Shaukat and T. R. Church
- 536 Corrections