Research

Emergency Intubation

The tracheal tube introducer (known as the bougie) is used primarily for patients with poor laryngeal views or as a rescue device when initial intubation attempts fail. In a randomized clinical trial of 757 patients requiring emergency orotracheal intubation, Driver and colleagues found that use of a bougie, compared with an endotracheal tube and stylet, was more likely to achieve intubation on the first attempt.


⊞ CME jamanetwork.com/learning

Oxygenation of Extremely Preterm Infants

Oxygen therapy is essential for the treatment of many preterm infants, but too much oxygen can be toxic. Askie and colleagues for the Neonatal Oxygenation Prospective Meta-analysis Collaboration conducted a meta-analysis of 5 trials that randomized 4965 extremely preterm infants to higher or lower target ranges for oxygen saturation and found no difference in death or major disability. In an Editorial, Bizzarro discusses secondary outcomes of the treatment strategies.

Editorial 2173

Identifying Patients at Risk of Sepsis



Editorial 2175

CME jamanetwork.com/learning

2179

2190

2202

9

Opinion

Viewpoint

2165 Value-Based Pricing for Drugs: Theme and Variations A Kaltenboeck and PB Bach

2167 Three Steps Toward a More Sustainable Path for Targeted Cancer Drugs JE Bekelman and S Joffee

2169 Value-Based Pricing and Patient Access for Specialty Drugs JC Robinson, S Howell, and SD Pearson

A Piece of My Mind

2171 Survival Techniques CB Zapata

Editorial

2173 Optimizing Oxygen Saturation Targets in Extremely Preterm Infants MJ Bizzarro

2175 qSOFA Score for Patients With Sepsis in Low- and Middle-Income Countries NKJ Adhikari and GD Rubenfeld

2177 Has Reconstruction of the Central Airways Been Transformed? From Aorta to Trachea VW Rusch

LETTERS

Research Letter

2231 Use of Conservative Management for Low-Risk Prostate Cancer in the Veterans Affairs Integrated Health Care System From 2005-2015 S Loeb and Coauthors

Comment & Response

2233 Wait Time for Hip Fracture Surgery and Mortality

2235 Anesthesia Care Handovers and Risk of Adverse Outcomes



Humanities

The quick Sequential (Sepsis-Related) Organ

Failure Assessment (qSOFA) score may

be useful in resource-limited settings be-

cause it is not based on laboratory tests.

Rudd and colleagues for the Sepsis Assess-

ment and Identification in Low Resource

Settings Collaboration conducted a retro-

spective analysis of hospitalized adults with

suspected infection in 9 cohorts from low-

and middle-income countries and found

that the qSOFA score had predictive validity

for identifying patients at risk of death. In an

Editorial, Adhikari and Rubenfeld discuss the

qSOFA score as a screening test for sepsis.

The Arts and Medicine 2156 Revision Plastic Surgery Reality Television: What's Good About 8otched? 5 Dayan

Poetry and Medicine 2239 The Wind Reminds CS Halberstadt

JAMA Revisited

2240 Let's Provide Primary Care to All Uninsured Americans—Now!


Editor in Chief Howard Bauchner, MD 134 YEARS OF CONTINUOUS PUBLICATION

ed

Research (continued)

Bioengineered Tracheal and Bronchial Reconstruction

2212





JAMA Patient Page 2244 Injury Around the Eye

NEWS & ANALYSIS

Medical News & Perspectives

2158 As Overdoses Climb, Emergency Departments Begin Treating Opioid Lise Disorder

2160 The Body's Largest Artery Aids in **Building a Better Trachea**

Bench to Bedside

2161 Enzyme-Responsive Hydrogels May Help Treat Arthritis

JAMA Infographic

2163 Global Deaths Attributable to High Systolic Blood Pressure, 1990-2016

2164 News From the FDA

New Test Identifies Candida auris

FDA Blitz on Nicotine Product Sales to Minors

Electrical Stimulation for Epilepsy



■ Video and Author Audio Interview jama.com CME jamanetwork.com/learning

Clinical Review & Education

Restricted Randomization in Clinical Trials

In trials with small sample sizes, randomization procedures can be modified to ensure that participants or prespecified covariates are balanced across study groups. Broglio discusses the advantages and disadvantages of restricted randomization techniques in this JAMA Guide to Statistics and Methods.

Hearing Aids and Quality of Life

2223

Hearing loss is a barrier to communication and social engagement. In this Clinical Evidence Synopsis summarizing a Cochrane review of 5 randomized clinical trials, Kitterick and Ferguson discuss the benefits of hearing aids for patients with hearing loss.

Evaluation and Management of Patients With Suspected Syncope 2227

In this JAMA Clinical Guidelines Synopsis of a 2017 guideline developed by the American College of Cardiology, the American Heart Association, and the Heart Rhythm Society, Waytz and colleagues discuss the evaluation of adults with suspected syncope and the need for more research to guide the management of patients at intermediate risk of adverse outcomes.

Online @ jama.com

Editor's Audio Summary Howard Bauchner, MD, summarizes and comments on this week's issue.

Online First Articles

Visit jamanetwork.com/journals/jama/newonline for just-published opinion pieces and Medical News features.

Author Interview



AUDIO Emmanuel Martinod, MD. PhD, author of "Feasibility of Bioengineered Tracheal and **Bronchial Reconstruction Using** Stented Aortic Matrices," and Valerie W. Rusch, author of "Has Reconstruction of the Central Airways Been Transformed? From Aorta to Trachea"

Departments

2153 Staff Listing

2229 CME Questions

2241 Classified Advertising

2242 Journal Advertiser Index

2243 Contact Information

Instructions for Authors

jama.com/public /instructionsforauthors.aspx