


BRAIN

A JOURNAL OF NEUROLOGY



Cover image: Immunohistochemical analysis of inflamed brains in patients with Alzheimer's disease revealed the expression of complement 8 gamma in reactive astrocytes, which has been shown to modulate microglial activation and neuroinflammation. From Kim *et al.* Gamma subunit of complement component 8 is a neuroinflammation inhibitor. Pp. 528–552.

Background image ©iStock/Getty.

Contents

Editorial

Blood tests to screen for Alzheimer's disease

M. Husain
355

Scientific Commentaries

A space-time continuum in DBS: structural and functional advances in Parkinson's disease

P. Starr and S. Little
357

Untangling the tau microtubule-binding region

J. Toombs and H. Zetterberg
359

Genetic alterations of *VWAI*: a new link between extracellular matrix and neuromuscular diseases

Y. Arribat
362

Go, cancer stem cell, go! CSCs overcome myelin inhibition to move within white matter pathways

D. J. Silver and J. D. Lathia
365

COVID-19 vaccine and Guillain-Barré syndrome: let's not leap to associations

M. P. Lunn, D. R. Cornblath, B. C. Jacobs, L. Querol, P. A. van Doorn, R. A. Hughes and H. J. Willison
368

Review Article

The association between systemic autoimmune disorders and epilepsy and its clinical implications

C. Steriade, M. J. Titulaer, A. Vezzani, J. W. Sander and R. D. Thijs
372

Updates

Hearing and dementia: from ears to brain

J. C. S. Johnson, C. R. Marshall, R. S. Weil, D.-E. Bamiou, C. J. D. Hardy and J. D. Warren

391

Hypoxia in multiple sclerosis; is it the chicken or the egg?

S. K. Halder and R. Milner

402

Report

De novo stop-loss variants in *CLDN11* cause hypomyelinating leukodystrophy

K. M. Riedhammer, S. Stockler, R. Ploski, M. Wenzel, B. Adis-Dutschmann, U. Ahting, B. Alhaddad, A. Blaschek, T. B. Haack, R. Kopajtich, J. Y. Lee, V. Murcia Pienkowski, A. Pollak, K. Szymanska, M. Tarailo-Graovac, R. van der Lee, C. D. van Karnebeek, T. Meitinger, I. Krägeloh-Mann and K. Vill

411

Original Articles

Predictors of volitional motor recovery with epidural stimulation in individuals with chronic spinal cord injury

S. Mesbah, T. Ball, C. Angeli, E. Rejc, N. Dietz, B. Ugiliweneza, S. Harkema and M. Boakye

420

Population-based blood screening for preclinical Alzheimer's disease in a British birth cohort at age 70

A. Keshavan, J. Pannee, T. K. Karikari, J. L. Rodriguez, N. J. Ashton, J. M. Nicholas, D. M. Cash, W. Coath, C. A. Lane, T. D. Parker, K. Lu, S. M. Buchanan, S. E. Keuss, S.-N. James, H. Murray-Smith, A. Wong, A. Barnes, J. C. Dickson, A. Heslegrave, E. Portelius, M. Richards, N. C. Fox, H. Zetterberg, K. Blennow and J. M. Schott

434

Cell type-specific transcriptomics identifies neddylation as a novel therapeutic target in multiple sclerosis

K. Kim, A.-K. Pröbstel, R. Baumann, J. Dyckow, J. Landefeld, E. Kogl, L. Madireddy, R. Loudermilk, E. L. Eggers, S. Singh, S. J. Caillier, S. L. Hauser, B. A. C. Cree, UCSF MS-EPIC Team, L. Schirmer, M. R. Wilson and S. E. Baranzini

450

Targeted sequencing of Parkinson's disease loci genes highlights *SYT11*, *FGF20* and other associations

U. Rudakou, E. Yu, L. Krohn, J. A. Ruskey, F. Asayesh, Y. Dauvilliers, D. Spiegelman, L. Greenbaum, S. Fahn, C. H. Waters, N. Dupré, G. A. Rouleau, S. Hassin-Baer, E. A. Fon, R. N. Alcalay and Z. Gan-Or

462

Modulation of beta bursts in subthalamic sensorimotor circuits predicts improvement in bradykinesia

Y. M. Kehnemouy, K. B. Wilkins, C. M. Anidi, R. W. Anderson, M. F. Afzal and H. M. Bronte-Stewart

473

Spatiotemporal features of β - γ phase-amplitude coupling in Parkinson's disease derived from scalp EEG

R. Gong, M. Wegscheider, C. Mühlberg, R. Gast, C. Fricke, J.-J. Rumpf, V. V. Nikulin, T. R. Knösche and J. Classen

487

Antisaccade, a predictive marker for freezing of gait in Parkinson's disease and gait/gaze network connectivity

C. Gallea, B. Wicki, C. Ewencyk, S. Rivaud-Péchoux, L. Yahia-Cherif, P. Pouget, M. Vidailhet and E. Hainque

504

CSF tau microtubule binding region identifies tau tangle and clinical stages of Alzheimer's disease

K. Horie, N. R. Barthélemy, C. Sato and R. J. Bateman

515

Gamma subunit of complement component 8 is a neuroinflammation inhibitor

J.-H. Kim, R. Afridi, J. Han, H.-G. Jung, S.-C. Kim, E. M. Hwang, H. S. Shim, H. Ryu, Y. Choe, H.-S. Hoe and K. Suk

528

Three-dimensional analysis of synaptic organization in the hippocampal CA1 field in Alzheimer's disease

M. Montero-Crespo, M. Domínguez-Álvarez, L. Alonso-Nanclares, J. DeFelipe and L. Blázquez-Llorca

553

Bi-allelic truncating mutations in *VWA1* cause neuromyopathy

M. Deschauer, H. Hengel, K. Rupprich, M. Kreiß, B. Schlotter-Weigel, M. Grimm, J. Admard, I. Schneider, B. Alhaddad, A. Gazou, M. Sturm, M. Vorgerd, G. Balousha, O. Balousha, M. Falna, J. S. Kirschke, C. Kornblum, B. Jordan, T. Kraya, T. M. Strom, J. Weis, L. Schöls, U. Schara, S. Zierz, O. Riess, T. Meitinger and T. B. Haack

574

An ancestral 10-bp repeat expansion in *VWA1* causes recessive hereditary motor neuropathy

A. T. Pagnamenta, R. Kaiyryzhanov, Y. Zou, Sahar I. Da'as, R. Maroofian, S. Donkervoort, N. Dominik, M. Lauffer, M. P. Ferla, A. Orioli, A. Giess, A. Tucci, C. Beetz, M. Sedghi, B. Ansari, R. Barresi, K. Basiri, A. Cortese, G. Elgar, M. A. Fernandez-Garcia, J. Yip, A. R. Foley, N. Gutowski, H. Jungbluth, S. Lassche, T. Lavin, C. Marcelis, P. Marks, C. Marini-Bettolo, L. Medne, A.-R. Moslemi, A. Sarkozy, M. M. Reilly, F. Muntoni, F. Millan, C. C. Muresku, A. C. Need, A. H. Nemeth, S. B. Neuhaus, F. Norwood, M. O'Donnell, M. O'Driscoll, J. Rankin, S. W. Yum, Z. Zolkipli-Cunningham, I. Brusius, G. Wunderlich, Genomics England Research Consortium, M. Karakaya, B. Wirth, K. A. Fakhro, H. Tajsharghi, C. G. Bönnemann, J. C. Taylor and H. Houlden

584

5' UTR CGG repeat expansion in *GIPC1* is associated with oculopharyngodistal myopathy

J. Xi, X. Wang, D. Yue, T. Dou, Q. Wu, J. Lu, Y. Liu, W. Yu, K. Qiao, J. Lin, S. Luo, J. Li, A. Du, J. Dong, Y. Chen, L. Luo, J. Yang, Z. Niu, Z. Liang, C. Zhao, J. Lu, W. Zhu and Y. Zhou

601

Stepwise crosstalk between aberrant Nf1, Tp53 and Rb signalling pathways induces gliomagenesis in zebrafish

J. Luo, P. Liu, C. Lu, W. Bian, D. Su, C. Zhu, S. Xie, Y. Pan, N. Li, W. Cui, D.-S. Pei and X. Yang

615

Modulation of Nogo receptor 1 expression orchestrates myelin-associated infiltration of glioblastoma

J.-H. Hong, S. Kang, J. K. Sa, G. Park, Y. T. Oh, T. H. Kim, J. Yin, S. S. Kim, F. D'Angelo, H. Koo, Y. You, S. Park, H. J. Kwon, C. Il. Kim, H. Ryu, W. Lin, E. J. Park, Y.-J. Kim, M.-J. Park, H. Kim, M.-S. Kim, S. Chung, C.-K. Park, S.-H. Park, Y. H. Kang, J. H. Kim, H. Saya, I. Nakano, H.-S. Gwak, H. Yoo, J. Lee, E.-M. Hur, B. Shi, D.-H. Nam, A. Iavarone, S.-H. Lee and J. B. Park

636

Machine phenotyping of cluster headache and its response to verapamil

A. R. Tso, M. Brudfors, D. Danno, L. Grangeon, S. Cheema, M. Matharu and P. Nachev

655

Central opioid receptors mediate morphine-induced itch and chronic itch via disinhibition

Z. Wang, C. Jiang, H. Yao, O. Chen, S. Rahman, Y. Gu, J. Zhao, Y. Huh and R.-R. Ji

665

Epidemiological and cohort study finds no association between COVID-19 and Guillain-Barré syndrome

S. Keddle, J. Pakpoor, C. Mosele, M. Pipis, P. M. Machado, M. Foster, C. J. Record, R. Y. S. Keh, J. Fehmi, R. W. Paterson, V. Bharambe, L. M. Clayton, C. Allen, O. Price, J. Wall, A. Kiss-Csenki, D. P. Rathnasabapathi, R. Galdes, T. Yermakova, J. King-Robson, M. Zosmer, S. Rajakulendran, S. Sumaria, S. F. Farmer, R. Nortley, C. R. Marshall, E. J. Newman, N. Nirmalanathan, G. Kumar, A. A. Pinto, J. Holt, T. M. Lavin, K. M. Brennan, M. S. Zandi, D. L. Jayaseelan, J. Pritchard, R. D. M. Hadden, H. Manji, H. J. Willison, S. Rinaldi, A. S. Carr and M. P. Lunn

682

Letters to the Editor

Growth differentiation factor 5 exerts neuroprotection in an α -synuclein rat model of Parkinson's disease

S. R. Goulding, R. M. Concannon, N. Morales-Prieto, F. Villalobos-Manriquez, G. Clarke, L. M. Collins, M. Lévesque, S. L. Wyatt, A. M. Sullivan and G. W. O'Keefe

e14

BMP5/7 protect dopaminergic neurons in an α -synuclein mouse model of Parkinson's disease

Z. Vitic, H. Safory, V. M. Jovanovic, Y. Sarusi, A. Stavsky, J. Kahn, A. Kuzmina, L. Tokar, D. Gitler, R. Taube, R. H. Friedel, S. Engelender and C. Brodski

e15

Reply: Growth differentiation factor 5 exerts neuroprotection in an α -synuclein rat model of Parkinson's disease and BMP5/7 protect dopaminergic neurons in an α -synuclein mouse model of Parkinson's disease

A. Whone

e16

PCYT2 mutations disrupting etherlipid biosynthesis: phenotypes converging on the CDP-ethanolamine pathway

J. De Winter, D. Beijer, W. De Ridder, M. Synofzik, S. L. Zuchner, PREPARE consortium, P. Van Damme, W. Spileers and J. Baets

e17

MN1 gene loss-of-function mutation causes cleft palate in a pedigree

L. Shu, D. He, D. Wu, Y. Peng, H. Xi, X. Mao and H. Wang

e18

Reply: MN1 gene loss-of-function mutation causes cleft palate in a pedigree

N. Vegas, K. Low, C. C. Y. Mak, J. L. F. Fung, A. V. Hing, B. H. Y. Chung, D. Doherty, J. Amiel and C. T. Gordon

e19

Reference values for the Cerebellar Cognitive Affective Syndrome Scale: age and education matter

A. Thieme, S. Röske, J. Faber, P. Sulzer, M. Minnerop, S. Elben, K. Reetz, I. Dogan, M. Barkhoff, J. Konczak, E. Wondzinski, M. Siebler, S. Hetze, O. Müller, U. Sure, T. Klockgether, M. Synofzik and D. Timmann

e20

Reply: Reference values for the Cerebellar Cognitive Affective Syndrome Scale: age and education matter

J. D. Schmahmann, M. G. Vangel, F. Hoche, X. Guell and J. C. Sherman

e21

Early-onset phenotype of bi-allelic GRN mutations

C. Neuray, T. Sultan, J. R. Alvi, M. C. Franca Jr, B. Assmann, M. Wagner, L. Canafoglia, S. Franceschetti, G. Rossi, I. Santana, M. C. Macario, M. R. Almeida, M. Kamate, S. Parikh, H. Z. Elloumi, D. Murphy, S. Efthymiou, R. Maroofian and H. Houlden

e22

Reply: Early-onset phenotype of bi-allelic GRN mutations

V. Huin, M. Barbier, A. Durr and I. Le Ber

e23

Corrigendum

e24