


BRAIN

A JOURNAL OF NEUROLOGY



Cover image: MRI images from patients undergoing hemidisconnective surgery for refractory hemispheric epilepsies illustrating preserved (top) and lost (bottom) grasping ability of the contralateral hand. From Küpper *et al.* Predicting hand function after hemidisconnection. Pp. 2456–2468.

Contents

Editorial

D. M. Kullmann
2335

Scientific Commentaries

Is epilepsy a curable neurodegenerative disease?

N. Bernasconi
2336

Serotonergic loss underlying apathy in Parkinson's disease

A. Schrag and M. Politis
2338

Distinct pathways for cognitive decline in the presence of Alzheimer's disease pathology or cerebrovascular disease

A. D. Cohen
2340

Amyloid imaging and Alzheimer's disease: the unsolved cases

M. J. O'Sullivan and S. D. Vann
2342

Review Article

Catecholamines and cognition after traumatic brain injury

P. O. Jenkins, M. A. Mehta and D. J. Sharp
2345

Report

¹⁸F-AV-1451 tau PET imaging correlates strongly with tau neuropathology in MAPT mutation carriers

R. Smith, A. Puschmann, M. Schöll, T. Ohlsson, J. van Swieten, M. Honer, E. Englund and O. Hansson
2372

Original Articles

Mislocated FUS is sufficient for gain-of-toxic-function amyotrophic lateral sclerosis phenotypes in mice

G. Shihashi, D. Ito, T. Yagi, Y. Nihei, T. Ebine and N. Suzuki

2380

Defining secondary progressive multiple sclerosis

J. Lorscheider, K. Buzzard, V. Jokubaitis, T. Spelman, E. Havrdova, D. Horakova, M. Trojano, G. Izquierdo, M. Girard, P. Duquette, A. Prat, A. Lugaresi, F. Grand'Maison, P. Grammond, R. Hupperts, R. Alroughani, P. Sola, C. Boz, E. Pucci, J. Lechner-Scott, R. Bergamaschi, C. Oreja-Guevara, G. Iuliano, V. Van Pesch, F. Granella, C. Ramo-Tello, D. Spitaleri, T. Petersen, M. Slee, F. Verheul, R. Ampapa, M. P. Amato, P. McCombe, S. Vucic, J. L. Sánchez Menoyo, E. Cristiano, M. H. Barnett, S. Hodgkinson, J. Olascoaga, M. L. Saladino, O. Gray, C. Shaw, F. Moore, H. Butzkueven and T. Kalincik on behalf of the MSBase Study Group

2395

Neuroendothelial NMDA receptors as therapeutic targets in experimental autoimmune encephalomyelitis

R. Macrez, M. C. Ortega, I. Bardou, A. Mehra, A. Fournier, S. M. A. Van der Pol, B. Haelewyn, E. Maubert, F. Lesept, A. Chevilly, F. de Castro, H. E. De Vries, D. Vivien, D. Clemente and F. Docagne

2406

Loss of SYNJ1 dual phosphatase activity leads to early onset refractory seizures and progressive neurological decline

K. Hardies, Y. Cai, C. Jardel, A. C. Jansen, M. Cao, P. May, T. Djémié, C. Hachon Le Camus, K. Keymolen, T. Deconinck, V. Bhambhani, C. Long, S. A. Sajan, K. L. Helbig, AR working group of the EuroEPINOMICS RES Consortium, A. Suls, R. Balling, I. Helbig, P. De Jonghe, C. Depienne, P. De Camilli and S. Weckhuysen

2420

The superficial white matter in temporal lobe epilepsy: a key link between structural and functional network disruptions

M. Liu, B. C. Bernhardt, S.-J. Hong, B. Caldairou, A. Bernasconi and N. Bernasconi

2431

Hyperphosphorylated tau in patients with refractory epilepsy correlates with cognitive decline: a study of temporal lobe resections

X. Y. Tai, M. Koepp, J. S. Duncan, N. Fox, P. Thompson, S. Baxendale, J. Y. W. Liu, C. Reeves, Z. Michalak and M. Thom

2441

Predicting hand function after hemidisconnection

H. Küpper, M. Kudernatsch, T. Pieper, S. Groeschel, J.-D. Tournier, D. Raffelt, P. Winkler, H. Holthausen and M. Staudt

2456

Movement preparation and execution: differential functional activation patterns after traumatic brain injury

J. Gooijers, I. A. M. Beets, G. Albouy, K. Beeckmans, K. Michiels, S. Sunaert and S. P. Swinnen

2469

The prominent role of serotonergic degeneration in apathy, anxiety and depression in *de novo* Parkinson's disease

A. Maillet, P. Krack, E. Lhommée, E. Météreau, H. Klinger, E. Favre, D. Le Bars, E. Schmitt, A. Bichon, P. Pelissier, V. Fraix, A. Castrioto, V. Sgambato-Faure, E. Broussolle, L. Tremblay and S. Thobois

2486

Brain networks modulated by subthalamic nucleus deep brain stimulation

E. A. Accolla, M. Herrojo Ruiz, A. Horn, G.-H. Schneider, T. Schmitz-Hübsch, B. Draganski and A. A. Kühn

2503

Relative impact of amyloid- β , lacunes, and downstream imaging markers on cognitive trajectories

H. J. Kim, J. J. Yang, H. Kwon, C. Kim, J. M. Lee, P. Chun, Y. J. Kim, N.-Y. Jung, J. Chin, S. Kim, S.-y. Woo, Y. S. Choe, K.-H. Lee, S. T. Kim, J. S. Kim, J. H. Lee, M. W. Weiner, D. L. Na and S. W. Seo

2516

Atrophy, hypometabolism and clinical trajectories in patients with amyloid-negative Alzheimer's disease

G. Chételat, R. Ossenkoppele, V. L. Villemagne, A. Perrotin, B. Landeau, F. Mézenge, W. J. Jagust, V. Dore, B. L. Miller, S. Egret, W. W. Seeley, W. M. van der Flier, R. La Joie, D. Ames, B. N. M. van Berckel, P. Scheltens, F. Barkhof, C. C. Rowe, C. L. Masters, V. de La Sayette, F. Bouwman and G. D. Rabinovici

2528

Pittsburgh compound B imaging and cerebrospinal fluid amyloid- β in a multicentre European memory clinic study

A. Leuzy, K. Chiotis, S. G. Hasselbalch, J. O. Rinne, A. de Mendonça, M. Otto, A. Lleó, M. Castelo-Branco, I. Santana, J. Johansson, S. Anderl-Straub, C. A. F. von Arnim, A. Beer, R. Blesa, J. Fortea, S.-K. Herukka, E. Portelius, J. Pannee, H. Zetterberg, K. Blennow and A. Nordberg

2540

Anticipation-related brain connectivity in bipolar and unipolar depression: a graph theory approach

A. Manelis, J. R. C. Almeida, R. Stiffler, J. C. Lockovich, H. A. Aslam and M. L. Phillips

2554

Book Review

A man of many quests

R. Tallis

2567

Letters to the Editor

Role of cortico-pallidal connectivity in the pathophysiology of dystonia

A. Cacciola, D. Milardi and A. Quartarone

e48

Reply: Role of cortico-pallidal connectivity in the pathophysiology of dystonia

W.-J. Neumann and A. A. Kühn

e49

Perifascicular necrosis in anti-synthetase syndrome beyond anti-Jo-1

A. Uruha, S. Suzuki, N. Suzuki and I. Nishino

e50

Reply: Perifascicular necrosis in anti-synthetase syndrome beyond anti-Jo-1

Y. Allenbach, B. Hervier, W. Stenzel and O. Benveniste

e51

Aberrant splicing induced by the most common *EPG5* mutation in an individual with Vici syndrome

M. S. Kane, T. Vilboux, L. A. Wolfe, P. R. Lee, Y. Wang, K. C. Huddleston, J. G. Vockley, J. E. Niederhuber and B. D. Solomon

e52

Reply: Aberrant splicing induced by the most common *EPG5* mutation in an individual with Vici syndrome

S. Byrne, T. Cullup, M. Fanto, M. Gautel and H. Jungbluth

e53