

# ULTRASOUND

## in Obstetrics & Gynecology

Editor in Chief: Professor Basky Thilaganathan

The Official Journal of  
the International Society of Ultrasound  
in Obstetrics and Gynecology



## CONTENTS

### EDITORIAL

- 429** Genome-wide non-invasive prenatal screening for all cytogenetically visible imbalances  
*P. Benn and E. R. Grati*

### OPINION

- 434** Prenatal screening for atypical chromosomal abnormalities: past or future?  
*I. Vogel and O. B. Petersen*

### REFEREE COMMENTARY

- 436** First-trimester risk assessment by ultrasound and cell-free DNA vs combined screening  
*L. Hui*

### RANDOMIZED CONTROLLED TRIAL

- 437** First-trimester risk assessment based on ultrasound and cell-free DNA vs combined screening: a randomized controlled trial  
*K. O. Kagan, F. Sroka, J. Sonek, H. Abele, K. Lüthgens, M. Schmid, P. Wagner, S. Brucker, D. Wallwiener and M. Hoopmann*

### SYSTEMATIC REVIEWS

- 445** Frequency of submicroscopic chromosomal aberrations in pregnancies without increased risk for structural chromosomal aberrations: systematic review and meta-analysis  
*M. I. Srebnik, M. Joosten, M. F. C. M. Knapen, L. R. Arends, M. Polak, S. van Veen, A. T. J. I. Go and D. Van Opstal*
- 453** Added value of chromosomal microarray analysis over karyotyping in early pregnancy loss: systematic review and meta-analysis  
*M. Pauta, M. Grande, L. Rodriguez-Revenga, E. Kolomietz and A. Borrell*

### ORIGINAL PAPERS

- 463** Effectiveness of 12–13-week scan for early diagnosis of fetal congenital anomalies in the cell-free DNA era  
*M. J. A. Kenkhuis, M. Bakker, F. Bardi, F. Fontanella, M. K. Bakker, J. H. Fleurke-Rozema and C. M. Bilardo*
- 470** Contingent first-trimester screening for aneuploidies with cell-free DNA in a Danish clinical setting  
*C. B. Miltoft, L. Rode, C. K. Ekelund, K. Sundberg, S. Kjærgaard, H. Zingenberg and A. Tabor*
- 480** Chromosomal microarray as primary diagnostic genomic tool for pregnancies at increased risk within a population-based combined first-trimester screening program  
*I. Vogel, O. B. Petersen, R. Christensen, J. Hyett, S. Lou and E. M. Vestergaard*
- 487** Prenatal diagnostic testing and atypical chromosome abnormalities following combined first-trimester screening: implications for contingent models of non-invasive prenatal testing  
*A. Lindquist, A. Poultton, J. Halliday and L. Hui*
- 493** Whole exome sequencing as a diagnostic adjunct to clinical testing in fetuses with structural abnormalities  
*F. Fu, R. Li, Y. Li, Z.-Q. Nie, T. Lei, D. Wang, X. Yang, J. Han, M. Pan, L. Zhen, Y. Ou, J. Li, F.-T. Li, X. Jing, D. Li and C. Liao*

- 503** Two-stage approach for risk estimation of fetal trisomy 21 and other aneuploidies using computational intelligence systems  
*A. C. Neocleous, A. Syngelaki, K. H. Nicolaides and C. N. Schizas*
- 509** Maternal hemodynamics early in labor: a possible link with obstetric risk?  
*H. Valensise, G. M. Tiralongo, I. Pisani, D. Farsetti, D. Lo Presti, G. Gagliardi, M. R. Basile, G. P. Novelli and B. Vasapollo*
- 514** Effect of a nitric oxide donor on maternal hemodynamics in fetal growth restriction  
*G. M. Tiralongo, I. Pisani, B. Vasapollo, A. Khalil, B. Thilaganathan and H. Valensise*
- 519** Maternal left ventricular hypertrophy and diastolic dysfunction and brain natriuretic peptide concentration in early- and late-onset pre-eclampsia  
*V. T. M. Borges, S. G. Zanati, M. T. S. Peraçoli, J. R. Poiazi, M. Romão-Veiga, J. C. Peraçoli and B. Thilaganathan*
- 524** Home blood-pressure monitoring in a hypertensive pregnant population  
*H. Perry, E. Sheehan, B. Thilaganathan and A. Khalil*
- 531** New method to predict need for Rashkind procedure in fetuses with dextro-transposition of the great arteries  
*M. Słodki, R. Axt-Fließner, K. Zych-Krekora, A. Wolter, A. Kawecki, C. Enzensberger, E. Gulczyńska and M. Respondek-Liberska, on behalf of The International Prenatal Cardiology Collaboration Group*
- 537** Changes in global strain of puborectalis muscle during pregnancy and postpartum  
*A. T. M. Grob, N. Hitschrich, M. K. van de Waarsenburg, M. I. J. Withagen, K. J. Schweitzer and C. H. van der Vaart*
- 543** Morphological ultrasound types known as 'blob' and 'bagel' signs should be reclassified from suggesting probable to indicating definite tubal ectopic pregnancy  
*B. Nadim, F. Infante, C. Lu, N. Sathasivam and G. Condous*
- 550** Role of transvaginal ultrasound in evaluation of ureteral involvement in deep infiltrating endometriosis  
*P. Carfagna, C. De Cicco Nardone, A. De Cicco Nardone, A. C. Testa, G. Scambia, R. Marana and F. De Cicco Nardone*

### LETTERS TO THE EDITOR

- 556** Management of monochorionic twin pregnancy discordant for body-stalk anomaly  
*S. Bergamelli, F. Prefumo, N. Fratelli, A. Valcamonica, C. Zanardini and A. Fichera*
- 557** Algorithm for sorting chromosomal aberration data  
*I. Vogel, N. Lund, S. Rasmussen, T. I. Kopp and O. B. Petersen*
- 558** Effect of three- vs four-dimensional ultrasonography on maternal attachment  
*R. J. Benzie, V. Starcevic, K. Viswasam, N. J. Kennedy, B. J. Mein, D. A. Wye and A. Martin*
- 559** Ultrasound training in obstetrics and gynecology in Europe: satisfaction survey  
*P. Gabor, K. Dimassi, A. J. M. Aabakke, R. Rouveau and O. Ami*

### PICTURE OF THE MONTH

- 561** Fetal retroesophageal left brachiocephalic vein with U-shaped vascular ring on four-dimensional color Doppler ultrasound  
*J. Han, X. Hao and Y. He*